


NQD-EVAN36 KIT CONTENTS. INSPECTED BY: _____

BASE PLATE- (EX-02) (W/ NQD-113-1, 3/16" PLASTIC BUMPER SPACER)



DOOR BAR- (NQD-080) STANDARD

HANDLE PIVOT- EX-04

HANDLE- TO-22 (TGS HANDLE)

DOOR- NQD-EVAN36

CENTER DEFLECTOR- EX-05

BRACKETS- (UNINSTALLED/IN HARDWARE KIT)

HARDWARE KIT- L CONTENTS:

- (2) NQD-116 (3-7/16" u-brkt)**
- (2) 5/16 -18 X 1 GR 5 HEX HEAD BOLT**
- (4) 5/16 SAE or 1/4 USS WASHER**
- (2) 5/16-18 NYLOC NUT**
- (1) NQD-097-SPRING**
- (1) SPRING PULLER**

REAR HANDLE MOUNT- EX-06

LINKAGE- LARGE (NQD-123/124

INSTALLATION

QWIKCHUTE NQD-EVAN-36

STEP 1

(SEE FIGURE 1)

INSTALL MOUNTING BRACKETS TO QWIKCHUTE AS SHOWN.

REMOVE FACTORY CHUTE AND PLACE QWIKCHUTE ON DECK. POSITION QWIKCHUTE AS SHOWN IN FIGURE 1. CLOSE DOOR ON QWIKCHUTE AND HOLD DOOR AGAINST THE FACE OF OPENING USING MOUNTING BRACKETS AS TEMPLATE MARK HOLE WITH MARKER. REMOVE UNIT CENTER PUNCH AND DRILL TWO 11/32" HOLES. MOUNT QWIKCHUTE TO DECK USING (2) 5/16 X 1 BOLTS WITH WASHERS AND NUTS AS SUPPLIED. HOLD DOOR AGAINST FACE WHEN TIGHTENING HARDWARE.

STEP 2

(SEE FIGURE 2)

ATTACH REAR HANDLE ASSEMBLY TO MOWER USING (2) EXISTING HOLES AND (2) 5/16 -18 X 1 BOLTS, NUTS AND WASHERS SUPPLIED IN KIT.

STEP 3

(SEE FIGURE 3)

ADJUST PUSH ROD AS FOLLOWS

A-DECK AT FULL HEIGHT

B-QWIKCHUTE COMPLETELY CLOSED

C-HANDLE TO BE POSITIONED SO THAT LOWER HANDLE BAR IS 1/2" FROM REAR OF SLOT IN GUIDE PLATE

D-TIGHTEN THE SET SCREW IN LOCK COLLAR ON PUSH ROD

STEP 4


(SEE FIGURE 2)

ATTACH HANDLE TO REAR HANDLE ASSEMBLY WITH (2) 5/16 -18 X 1 BOLTS, LOCK NUTS AND WASHERS PUT TOOTH WASHERS BETWEEN HANDLE AND HANDLE PIVOT BAR SUPPLIED IN KIT. ADJUST HANDLE FOR OPERATOR PREFERENCE.

STEP 5

ATTACH SPRING (SEE SPRING INSTALLATION SHEET)

Figure 1



USE THESE HOLE TO MOUNT BRACKETS

HOLES TO BE DRILLED AND USED TO MOUNT QWIKCHUTE

USE 5/16-18 x 1 LONG BOLTS WITH NUTS AND WASHERS TO ATTACH (3.43") U-BRACKET TO BASE OF QWIKCHUTE AS SHOWN ABOVE.

Figure 2




HANDLE BOLTS

MOUNTING BOLTS

Figure 3



Control Rod



Qwikchute Operating Instructions

Open Fully-move handle away from operator quickly.

Close Fully- move handle toward operator quickly.

Partially Open –from close position move handle away from operator until stay bar swings into position and release handle. To close from partially open position quickly open and then close. (Some models do not have this partial open feature.)

OIL ALL BEARING POINT WEEKLY OR AS NEEDED.

Warranty

GTM Manufacturing, Inc. products are warranted to the original purchaser to be free from defects in materials and workmanship for a period of 90 days from the date of purchase.

Any part(s) of GTM products found to be defective within the warranty period shall, at GTM's option, be repaired or replaced without charge.

Warranty consideration is obtained by returning any GTM product/part believed to be defective to GTM Manufacturing, Inc. within the applicable warranty period. **Please call for authorization.**

GTM Manufacturing, Inc.

14350 EASTSIDE ST

GROVELAND, FL. 34736

(407) 654-6598

www.qwikchute.com

Warranty does not apply to conditions resulting from:

1. Damage(s) and/or costs associated with shipping and or/ transportation.
2. Lack of normal maintenance, adjustments, or service required for regular use of the product.
3. Modifications, service/repairs, parts or components not authorized by GTM.

GTM shall not be liable for any special, consequential, direct or indirect damages, and expressly states there are no implied warranties. Some states do not allow limitation of incidental or consequential damages, accordingly the above limitations and exclusions may not apply to you. This warranty provides you with specific legal rights which may vary from state to state.

IT IS THE OWNERS RESPONSIBILITY TO PROPERLY COMPLETE AND MAIL THE WARRANTY REGISTRATION CARD.

PROOF OF PURCHASE AND REGISTRATION WILL BE REQUIRED IN ORDER TO OBTAIN WARRANTY SERVICE.

WARRANTY REGISTRATION CARD

Name of Purchaser: _____

Street Address / P.O. Box: _____ County: _____

City: _____ State _____ Zip Code: _____

Model Number: _____ PURCHASE DATE: _____|_____|_____

Dealer Name: _____

Street Address: _____ County: _____

City: _____ State: _____ Zip Code: _____

Customer Received: Operators Manual () Safety Instructions () Demonstration ()

Customers Signature

Date